

STEEL SEALERS & SEALS

SINGLE-NOTCH, DOUBLE-NOTCH, & PNEUMATIC



EP-1800 SD DOUBLE-NOTCH FRONT ACTION SEALER

- Size Options: 3/8", 1/2", 5/8", 3/4"
- Strap Gauges: 0.015 - 0.025"
- Double-notch, down cut
- Use open seals (S38S02, S12S02, S58S02, S34S02)



EP-1810 ECONOMY FRONT ACTION SEALER

- Size Options: 1/2", 5/8", 3/4"
- Strap Gauges: 0.015 - 0.023"
- Double-notch, down cut
- Use open seals (S12S02, S58S02, S34S02)



EP-1820 SD SINGLE-NOTCH FRONT ACTION SEALER

- Size Options: 3/8", 1/2", 5/8", 3/4"
- Strap Gauges: 0.015 - 0.025"
- Single-notch, up cut
- Use closed seals (S38P02, S12P02, S58P02, S34P02)



STEEL SEALERS & SEALS

SINGLE-NOTCH, DOUBLE-NOTCH, & PNEUMATIC



EP-1850 HD FRONT ACTION SEALER

- Size Options: 1/2", 5/8", 3/4"
- Strap Gauges: 0.023 - 0.031"
- Double-notch, down cut
- Use open seals (S12S02, S58S02, S34S02)



EP-1860 HD SINGLE-NOTCH SEALER

- Size Options: 3/4"
- Strap Gauges: 0.023 - 0.031"
- Single-notch, up cut
- Use closed seals (S34P02)



EP-1870 SD DOUBLE-NOTCH SIDE ACTION SEALER

- Size Options: 3/4"
- Strap Gauges: 0.020 - 0.035"
- Double-notch, down cut
- Use open or closed seals (S34S02, S34P02)



24" handles available by request

STEEL SEALERS & SEALS

SINGLE-NOTCH, DOUBLE-NOTCH, & PNEUMATIC



EP-1880 SD SINGLE-NOTCH SIDE ACTION SEALER

- Size Options: 3/4", 1", 1 1/4"
- Strap Gauges: 0.025 - 0.044"
- Single-notch, down cut
- Use closed seals (S34PO3, S114PO3)



EP-1880



S34PO3



S114PO3

EP-1900 HD DOUBLE-NOTCH SIDE ACTION SEALER


- Size Options: 3/4", 1", 1 1/4"
- Strap Gauges: 0.025 - 0.044"
- Double-notch, up cut
- Use HD open or closed seals (S34SO3, S114SO3, S34PO3, S114PO3)



EP-1900




S34SO3



S114SO3



S34PO3



S114PO3

Steel handles available by request

EP-1980 PNEUMATIC SEALER


- Size Options: 3/4", 1 1/4"
- Strap Gauges: 0.031 - 0.047"
- Single-notch
- Air Pressure: 70 - 90 PSI
- Use closed seals (S34PO3, S114PO3)



EP-1980



S34PO3



S114PO3

STEEL SEALERS & SEALS

SINGLE-NOTCH, DOUBLE-NOTCH, & PNEUMATIC



EP-2000 HD SEALLESS TOOL

- Strap Widths 1/2" - 3/4"
- Strap Gauges .018 to .025
- Tensions, Seals, and Cuts



EP-2000 SD SEALLESS TOOL

- Strap Widths 1/2" - 3/4"
- Strap Gauges .015- .023
- Tensions, Seals, and Cuts

