

Strapping Coil Lineup



REGULAR DUTY POLYPROPYLENE COILS

PPS12020-7200

1/2" x .020" Regular Duty Polypropylene 7200'
Strapping Coil

Approx. Break Strength: 300 lbs

Grade: Hand Grade

Core ID: 16"

Surface: Embossed



PPS12024-7200

1/2" x .024" Regular Duty Polypropylene 7200'
Strapping Coil

Approx. Break Strength: 500 lbs

Grade: Hand Grade

Core ID: 16"

Surface: Embossed



PPS58025-7200

5/8" x .025" Regular Duty Polypropylene 7200'
Strapping Coil

Approx. Break Strength: 600 lbs

Grade: Hand Grade

Core ID: 16"

Surface: Embossed



P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025

MACHINE GRADE POLYPROPYLENE COILS

PPS38024__-12900

3/8" x .024" Machine Grade Polypropylene 12,900'
Strapping Coil, 8 x 8 Core - White

Approx. Break Strength: 300 lbs
Core ID Options: 8 x 8" or 8 x 9"
Colors: White or Yellow



PPS1402488-18000-WT

1/4" x .024" Machine Grade Polypropylene 18,000'
Strapping Coil, 8 x 8 Core - White

Approx. Break Strength: 200 lbs
Core ID: 8 x 8"
Color: White



PPS1202488-9900-WT

1/2" x .024" Machine Grade Polypropylene 9,900'
Strapping Coil, 8 x 8 Core - White

Approx. Break Strength: 500 lbs
Core ID: 8 x 8"
Color: White



REGULAR DUTY POLYESTER COILS

PET12020-7200

1/2" x .020" Regular Duty Polyester 7200'
Strapping Coil

Approx. Break Strength: 600 lbs
Surface: Embossed
Core ID: 16"



PET12025-5800

1/2" x .025" Regular Duty Polyester 5800'
Strapping Coil

Approx. Break Strength: 700 lbs
Surface: Smooth
Core ID: 16"



PET12028-6500

1/2" x .028" Regular Duty Polyester 6500'
Strapping Coil

Approx. Break Strength: 820 lbs
Surface: Embossed
Core ID: 16"



P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025

PET34035-3500

3/4" x .035" Regular Duty Polyester 3500'
Strapping Coil

Approx. Break Strength: 1750 lbs
Surface: Embossed
Core ID: 16"



PET34040-3000

3/4" x .040" Regular Duty Polyester 3000'
Strapping Coil

Approx. Break Strength: 1900 lbs
Surface: Smooth
Core ID: 16"



PET58030-3600

5/8" x .030" Regular Duty Polyester 3600'
Strapping Coil

Approx. Break Strength: 1100 lbs
Surface: Embossed
Core ID: 16"



P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025

PET58035-4200

5/8" x .035" Regular Duty Polyester 4200'
Strapping Coil

Approx. Break Strength: 1400 lbs
Surface: Embossed
Core ID: 16"



PET58040-4000

5/8" x .040" Regular Duty Polyester 4000'
Strapping Coil

Approx. Break Strength: 1600 lbs
Surface: Embossed
Core ID: 16"



P (847) 735-8105 | **F** (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025

REGULAR DUTY STEEL COILS

1/2" Regular Duty

STL12020-RD-100

1/2" x 0.020" x 2940' - Core ID: 16"

Approx. Break Strength: 1200 lbs

STL12023-RD-100

1/2" x 0.023" x 2560' - Core ID: 16"

Approx. Break Strength: 1380 lbs



5/8" Regular Duty

STL58020-RD-100

5/8" x 0.020" x 2350' - Core ID: 16"

Approx. Break Strength: 1800 lbs

STL58023-RD-100

5/8" x 0.023" x 2050' - Core ID: 16"

Approx. Break Strength: 1725 lbs



3/4" Regular Duty

STL34020-RD-100

3/4" x 0.020" x 1960' - Core ID: 16"

Approx. Break Strength: 1800 lbs

STL34023-RD-100

3/4" x 0.023" x 1710' - Core ID: 16"

Approx. Break Strength: 2070 lbs



P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025

MINI POLYPROPYLENE STRAPPING COILS

MPPC12023-3000

1/2" x .023" Regular Duty Polypropylene 3000'
Strapping Mini Coil

Approx. Break Strength: 500 lbs

Grade: Hand Grade

Core ID: 3"



MPPC12023-7200

1/2" x .023" Regular Duty Polypropylene 7200'
Strapping Mini Coil

Approx. Break Strength: 500 lbs

Grade: Hand Grade

Core ID: 8"



MINI POLYESTER STRAPPING COILS


MPET12023-1600

1/2" x .023" Regular Duty Polyester 1600'
Strapping Mini Coil

Approx. Break Strength: 700 lbs

Surface: Smooth

Core ID: 8"



MPET58035-1200

5/8" x .035" Regular Duty Polyester 1200'
Strapping Mini Coil

Approx. Break Strength: 1400 lbs

Surface: Smooth

Core ID: 8"



P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025

MINI STEEL STRAPPING COILS

Regular Duty Steel (1/2" Width)

Strapping Mini Coil

Gauge: .020"

Length Options: 200' (SMC12020-200) or 300' (SMC12020-300)

Coreless (14" x 14" box)



Regular Duty Steel (5/8" Width)

Strapping Mini Coil

Gauge: .020"

Length Options: 200' (SMC58020-200) or 300' (SMC58020-300)

Coreless (14" x 14" box)



Regular Duty Steel (3/4" Width)

Strapping Mini Coil

Gauge Options: .020" or .025"

Length Option: 200' (SMC34020-200)

or 300' (SMC34020-300) (SMC34025-300)

Coreless (14" x 14" box)



Punched Regular Duty Steel - 300'

Strapping Mini Coil - Punched

Gauge: .020"

Size Options: 1/2" (SMC12020-300-PU)

or 3/4" (SMC34020-300-PU)

Length Option: 300'

Coreless (14" x 14" box)



Stainless Steel - 100'

Strapping Mini Coil - Stainless Steel

Gauge: .020"

Size Options: 1/2" (SSC12020-100),

5/8" (SSC58020-100), or 3/4" (SSC34020-100)

Length Option: 100'

Coreless (5" x 5" box)

P (847) 735-8105 | F (847) 735-8297

sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046

P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025

REGULAR DUTY CORD COILS

PC12WOV-2

1/2" x .03" Regular Duty Woven Poly Cord 1640'
Strapping Coil - White

Approx. Break Strength: 600 lbs
Core ID: 3.5"



P58WOV-2

5/8" x .031" Regular Duty Woven Poly Cord 1640'
Strapping Coil

Approx. Break Strength: 770 lbs
Core ID: 3.5"



P34WOV-2

3/4" x .035" Regular Duty Woven Poly Cord 1640'
Strapping Coil

Approx. Break Strength: 1100 lbs
Core ID: 3.5"

P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA


AS OF 03/25/2025

REGULAR COMPOSITE COILS

PC12COMP-2

1/2" x .03" Regular Duty Composite Poly Cord
3608' Strapping Coil - White

Approx. Break Strength: 770 lbs
Core ID: 8"



PC58COMP-2

5/8" x .03" Regular Duty Composite Poly Cord
2700' Strapping Coil - White

Approx. Break Strength: 1780 lbs
Core ID: 8"



PC34COMP-2

3/4" x .03" Regular Duty Composite Poly Cord
1968' Strapping Coil - White

Approx. Break Strength: 2400 lbs
Core ID: 8"

P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025

HEAVY DUTY CORD COILS

PC34WOV-3

3/4" Heavy Duty Woven Poly Cord 1640'
Strapping Coil

Approx. Break Strength: 2400 lbs
Core ID: 3.5"



PC114WOV-3

1 1/4" x .05" Heavy Duty Woven Poly Cord 984'
Strapping Coil

Approx. Break Strength: 3300 lbs
Core ID: 8"



HEAVY DUTY COMPOSITE COILS

PC100COMP-3

1" x .04" Heavy Duty Composite Poly Cord 1475'
Strapping Coil

Approx. Break Strength: 3000 lbs
Core ID: 8"



PC114COMP-3

1 1/4" x .04" Heavy Duty Composite Poly Cord 984'
Strapping Coil

Approx. Break Strength: 5500 lbs
Core ID: 8"



P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com

201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093 USA

AS OF 03/25/2025